US6114358

=> D ibib abs hitstr L1 1-5

L1 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2003 ACS on STN
ACCESSION NUMBER: 2003:292048 CAPLUS
DOCUMENT NUMBER: 139:101071
TITLE: A convenient synthesis of 4(5)-alkylacyl-1H-imidazoles from 4(5)-imidazolecarboxaldehyde
AUTHOR(S): Kawakami, Jun-Ichi; Kimura, Kazuhiro; Yamaoka, Masayoshi
CORPORATE SOURCE: Chemical Development Laboratories, Takeda Chemical Industries, Ltd., Yodogawa-ku, 532-8686, Japan
SOURCE: Synthesis (2003), (5), 677-680
CODEN: SYNTBF; ISSN: 0039-7881
PUBLISHER: Georg Thieme Verlag
DOCUMENT TYPE: Journal
LANGUAGE: English
AB A convenient synthesis of 4(5)-acyl-1H-imidazoles from 4(5)-imidazolecarboxaldehyde without N-protecting group is described. 4(5)-Cyanoimidazole could be synthesized from com. available 4(5)-imidazolecarboxaldehyde in one-pot. Treatment of 4(5)-cyanoimidazole with various alkylmagnesium bromides followed by addn. of aq. sulfuric acid afforded 4(5)-acyl-1H-imidazoles in good yield.
IT **247174-71-6P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(synthesis of 4(5)-alkylacyl-1H-imidazoles from 4(5)-imidazolecarboxaldehyde via Grignard reaction without using N-protecting groups)
RN 247174-71-6 CAPLUS
CN 1-Propanone, 1-(1H-imidazol-4-yl)-2-methyl- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 17 THERE ARE 17 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L1 ANSWER 2 OF 5 CAPLUS COPYRIGHT 2003 ACS on STN
ACCESSION NUMBER: 2001:319878 CAPLUS
DOCUMENT NUMBER: 134:340506
TITLE: Preparation process and use of 1-substituted phenyl-1-(1H-imidazol-4-yl) alcohols as antitumor agents
INVENTOR(S): Tasaka, Akihiro; Kaku, Tomohiro; Kusaka, Masami
PATENT ASSIGNEE(S): Takeda Chemical Industries, Ltd., Japan
SOURCE: PCT Int. Appl., 123 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001030764	A1	20010503	WO 2000-JP7284	20001019

W: AE, AG, AL, AM, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CN, CR, CU, CZ, DM, DZ, EE, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ,

US6114358

LC, LK, LR, LT, LV, MA, MD, MG, MK, MN, MX, NO, NZ, PL, RO, RU,
SG, SI, SK, TJ, TM, TR, TT, UA, US, UZ, VN, YU, ZA, AM, AZ, BY,
KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ,
CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

AU 2000079501	A5	20010508	AU 2000-79501	20001019
EP 1227086	A1	20020731	EP 2000-969904	20001019
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
JP 2001187784	A2	20010710	JP 2000-320485	20001020
US 6518257	B1	20030211	US 2002-111136	20020418

PRIORITY APPLN. INFO.: JP 1999-301562 A 19991022
WO 2000-JP7284 W 20001019

OTHER SOURCE(S): MARPAT 134:340506

GI



I



II

AB Title compds. [I; R represents hydrogen, CPh3; R1 represents alkyl or cyclic hydrocarbyl; R2 represents optionally substituted aryl or optionally substituted heteroaryl; R3 represents optionally substituted hydrocarbyl, optionally substituted hydroxy, optionally substituted thiol, optionally substituted amino, acyl or halogeno; n is an integer of from 0 to 4], which have steroid C17,20 lyase inhibitory activity and are useful as preventives and/or remedies for tumors such as prostate and mammary cancer, are prepd. Thus, the title compd. II was prepd. and biol. tested for steroid C17.20 lyase inhibition at IC50 = 8.3nM.

IT **247174-71-6**, 1-(1H-Imidazol-4-yl)-2-methyl-1-propanone
RL: RCT (Reactant); RACT (Reactant or reagent)
(prepn. process and use of phenylimidazolyl alcs. as antitumor agents)

RN 247174-71-6 CAPLUS

CN 1-Propanone, 1-(1H-imidazol-4-yl)-2-methyl- (9CI) (CA INDEX NAME)



US6114358

REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L1 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2003 ACS on STN
ACCESSION NUMBER: 2000:911226 CAPLUS
DOCUMENT NUMBER: 134:56671
TITLE: Process for the preparation of 4-alkanoylimidazole derivatives and 1-(2-naphthyl)-1-(1H-imidazol-4-yl)alkanol derivatives
INVENTOR(S): Kawakami, Jun-ichi
PATENT ASSIGNEE(S): Takeda Chemical Industries, Ltd., Japan
SOURCE: PCT Int. Appl., 39 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000078727	A1	20001228	WO 2000-JP4036	20000621
W: AE, AG, AL, AM, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CN, CR, CU, CZ, DM, DZ, EE, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LV, MA, MD, MG, MK, MN, MX, MZ, NO, NZ, PL, RO, RU, SG, SI, SK, TJ, TM, TR, TT, UA, US, UZ, VN, YU, ZA, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
JP 2001064264	A2	20010313	JP 2000-191081	20000621
EP 1193258	A1	20020403	EP 2000-940770	20000621
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				

PRIORITY APPLN. INFO.: JP 1999-175070 A 19990622
WO 2000-JP4036 W 20000621

OTHER SOURCE(S): CASREACT 134:56671; MARPAT 134:56671
GI


I


II


III


IV

AB An industrially advantageous process for the prepn. of compds. of general

formula (I; wherein the ring A is an optionally substituted imidazole ring; R is an optionally substituted hydrocarbon group or a heterocyclic group; and R1, R2, R3, R4, R5, R6, and R7 are each hydrogen, optionally substituted hydrocarbyl, OH, SH, NH2, acyl, halogeno, or the like) comprises addn. reaction of 4-cyanoimidazole (II; the ring A is same as above) with R-M1 (R is same as above; M1 = alkali metal, Mg-Y1; Y1 = halo) to give 4-acylimidazole (III; R and ring A are same as above), followed by addn. reaction of III with naphthalene alkali metals (IV; R1 - R7 are = same as above; M2 is alkali metal, Mg-Y2; Y2 is halo). This process is reduced in the no. of steps, attains a high yield, and dispenses with the use of a heavy metal compd. The compds. I exhibit a steroid C17-C20 lyase inhibitory activity (no data). Thus, a soln. of 42.7 g 4-cyanoimidazole in 500 mL THF was added dropwise to a 1.1. M soln. of isopropylmagnesium bromide in THF (1.4 L) over a period of 30 min, stirred at 15-25.degree., treated dropwise with 10% aq. H2SO4, stirred for 30 min, neutralized to pH 8 with 30 aq. NaOH, and extd. with EtOAc (300 L .times. 2) to give 82% 1-(1H-imidazol-4-yl)-2-methyl-1-propanone (V). 2-Bromo-6-methoxynaphthalene (5.15 g) was added dropwise to a mixt. of 0.55 g and 3 mg iodine in THF at 50.degree. and stirred at 15-25.degree. for 1.5 h, followed by adding dropwise a soln. of 1 g V in THF, and the resulting mixt. was stirred at 15-25.degree. for 8 h to give, after workup, 84% 1-(1H-imidazol-4-yl)-1-(6-methoxynaphthalen-2-yl)-2-methylpropanol.

IT **247174-71-6P**, 1-(1H-Imidazol-4-yl)-2-methyl-1-propanone
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(prepn. of 4-alkanoylimidazole derivs. and .alpha.-(2-naphthyl)-.alpha.-(1H-imidazolyl)alkanol derivs. by addn. reaction of cyanoimidazoles with alkylmagnesium bromides followed by naphthylmagnesium bromide)

RN 247174-71-6 CAPLUS

CN 1-Propanone, 1-(1H-imidazol-4-yl)-2-methyl- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L1 ANSWER 4 OF 5 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 2000:595488 CAPLUS

DOCUMENT NUMBER: 133:335190

TITLE: Solid-phase synthesis of 4-substituted imidazoles using a scaffold approach

AUTHOR(S): Gelens, E.; Koot, W. J.; Menge, W. M. P. B.; Ottenheijm, H. C. J.; Timmerman, H.

CORPORATE SOURCE: Leiden/Amsterdam Center for Drug Research (LACDR), Department of Pharmacochemistry, Vrije Universiteit, Amsterdam, 1081 HV, Neth.

SOURCE: Bioorganic & Medicinal Chemistry Letters (2000), 10(17), 1935-1938
CODEN: BMCLE8; ISSN: 0960-894X

PUBLISHER: Elsevier Science Ltd.

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 133:335190

AB Immobilized 4-iodoimidazole was used in a metal/halogen exchange reaction followed by treatment with electrophiles and subsequent cleavage from the

resin to yield 4-substituted imidazoles. Grignard reaction with resin-bound ketones yielded the corresponding alcs. This approach was used for a library synthesis of 35 imidazoles.

IT **247174-71-6P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(solid-phase synthesis of 4-substituted imidazoles using a scaffold approach)
RN 247174-71-6 CAPLUS
CN 1-Propanone, 1-(1H-imidazol-4-yl)-2-methyl- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L1 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2003 ACS on STN
ACCESSION NUMBER: 1999:691084 CAPLUS
DOCUMENT NUMBER: 131:299449
TITLE: Preparation of azolylmethylnaphthalenes and related compounds as steroid C17,20-lyase inhibitors.
INVENTOR(S): Tasaka, Akihiro; Ojida, Akio; Kaku, Tomohiro; Kusaka, Masami; Yamaoka, Masuo
PATENT ASSIGNEE(S): Takeda Chemical Industries, Ltd., Japan
SOURCE: PCT Int. Appl., 131 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9954309	A1	19991028	WO 1999-JP2143	19990422
W: AE, AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CU, CZ, EE, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LV, MD, MG, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, SL, TJ, TM, TR, TT, UA, US, UZ, VN, YU, ZA, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2328973	AA	19991028	CA 1999-2328973	19990422
AU 9935346	A1	19991108	AU 1999-35346	19990422
JP 2000007658	A2	20000111	JP 1999-114398	19990422
EP 1073640	A1	20010207	EP 1999-917102	19990422
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
US 6573289	B1	20030603	US 2000-673591	20001018

PRIORITY APPLN. INFO.: JP 1998-113801 A 19980423
WO 1999-JP2143 W 19990422
OTHER SOURCE(S): MARPAT 131:299449
GI